

# Getting to Know the Britax Harness-2-Booster Seats

Continuing Education Unit



### Getting to Know the Britax Harness-2-Booster Seats

- When you have completed this Continuing Education Unit session you will:
  - ✓ Have an understanding of the product features that BRITAX harness-2-booster seats include.
  - Be familiar with the weight, height and age requirements for BRITAX harness-2-booster seats including
     CLICKTIGHT Installation technology.
  - ✓ Have a general understanding of the installation of BRITAX harness-2-booster seats in harness mode.
  - ✓ Have a general understanding of the use of BRITAX harness-2-booster seats in booster mode.
- For this CEU opportunity, you must answer 16 out of 20 questions correctly in order to get the one (1) CEU awarded. If you incorrectly answer more than 4 questions, then you may review the material again and retake the quiz.
- Much of the information in this CEU material can be found at us.britax.com and in the user guides for each model.



### The Car Seat GAME CHANGER



### INSTALLATION

### Why ClickTight<sup>®</sup> is a Game Changer

2.

1.

3.

Built-in tensioner eliminates installation struggle



Quick easy

access to the

belt path



Installs simply

with just vehicle

seat belt



### Meet the Britax Grow With You ClickTight Harness-2-Booster Car Seat





CLICK HERE to view Britax Grow With You ClickTight

# **CLICKTIGHT** Installation Technology





CLICKTIGHT does not require any pushing or pulling to tension the vehicle belt or compress the vehicle seat.



Installation with a vehicle seat belt is preferred / recommended over lower anchors



ALWAYS release vehicle buckle BEFORE opening CLICKTIGHT when removing from vehicle.



### Harness-2-Booster (Combination)

#### HARNESS MODE:

2 Years & 25 lbs. to 65 lbs.
34-49" in height
Harness Positions: (9) 12.00-20.00"
(2) Buckle position at 7.00" & 9.00"

#### **BOOSTER MODE:**

40-120 lbs. 44-63" in height

9 Years from Date of Manufacture

#### Grow With You

- Lower Connector (max child weight): 45 lb.
- Grow With You CLICKTIGHT
   Lower Connector (max child weight): 40 lb.
- Grow With You CLICKTIGHT Plus
  - Lower Connector (max child weight): 40 lb.



#### Grow With You CLICKTIGHT Plus



Grow With You CLICKTIGHT

### **GLOM** §**LOO** HARNESS-2-BOOSTER SEAT COMPARISON CHART





	GROW WITH YOU	GROW WITH YOU CLICKTIGHT	GROW WITH YOU CLICKTIGHT PLUS
Harness Weight Capacity	25 - 65 lbs 11.3 - 30 kg	25 - 65 lbs 11.3 - 30 kg	25 - 65 lbs 11.3 - 30 kg
Booster Weight Capacity	40 - 120 lbs 18 - 54 kg	40 - 120 lbs 18 - 54 kg	40 - 120 lbs 18 - 54 kg
		۰	٠
Layers of Side Impact Protection	2	2	3
Quick-Adjust Harness	9	9	9
Recline Positions	2	2	2
Impact Stabilizing Steel Frame	•	•	٠
Patented Energy-Absorbing V-Shaped Tether	•	•	•
Energy-Absorbing Base	•	•	•
LUAS Connectors	•	•	•
Snack & Cup Holders	٠	٠	٠
Stay-Put Comfort Pads		٠	٠
Machine-washable fabrics			٠

### Grow With You



Dusk Pebble

### Grow With You CLICKTIGHT




Asher









#### Spark Grow With You CLICKTIGHT Plus



Jet Safewash Otto Safewash Mulberry

Cool Flow Gr ...

CoolNDry



Seaglass

Booster Mode 40 - 120 lbs



Harness Mode

25 - 65 lbs

## **Child Fitment**

- Britax strongly recommends that children should be secured with a harness system until they exceed the weight or height limits specified.
- Britax recommends booster mode only after the child outgrows harness mode.


#### Harness Mode

Children must:

- 1. Be at least two years of age; and
- 2. Weigh between 25 and 65 lbs (11.3 and 30 kg); and
- 3. Stand between 34 and 49 in. (85 and 125 cm) in height; and
- The top of the child's ears must be below the top of the head restraint when seated; and



 The harness straps must be in the closest position at or above the child's shoulders when seated.




#### **Booster Mode**

**NOTE:** Britax recommends booster mode only after the child outgrows harness mode.

Children must:

- 1. Weigh between 40 and 120 lbs (18 and 54 kg); and
- 2. Stand between 44 and 63 in. (110 and 160 cm) in height; and
- 3. The top of the child's ears must be below the top of the head restraint; *and*
- The vehicle shoulder belt must lay straight across the center of the child's chest, with the shoulder belt guide



positioned above the child's shoulders and does not contact the child's neck; and

The lap part of the vehicle seat belt should be worn under the armrests and rest low on the child's upper thighs.

### How CLICKTIGHT works......


#### Squeeze and release with two fingers to open.






### How CLICKTIGHT works......

Route and connect the vehicle seat belt.!



### How CLICKTIGHT works......



### Grow With You ClickTight with Lap-Shoulder belt and Tether





CLICK HERE to install the Grow With You ClickTight with Lap-Shoulder belt and Tether

# The 2017 National Survey of the Use of Booster Seats

- The 2017 NSUBS found that 40.1 percent of 4- to 7-year-old children were using booster seats in 2015 compared to 44.5 percent in 2015.
  - 31.4 percent of children 4- to 7 years old were not being properly restrained (down from 37.4 in 2015)
  - 20.8 percent were in seat belts (down from 25.8 in 2015)
  - 10.6 percent were unrestrained (down from 11.6 in 2015)
- Restraint use for all children under 13 remained statistically unchanged at 90.1 percent in 2017.
- <u>CLICK HERE</u> to access the complete report.

### How Long Should Your Child Stay in a Booster Seat: Law vs. Best Practice

- Requirements for car seat use vary depending on the state. BRITAX recommends that you follow the laws of your state as the <u>minimum</u> requirements for restraining a child while traveling. Additionally, BRITAX recommends that you continue to use the child seat system - convertible car seat, youth seat, or booster seat - to the upper limits of its recommended use, or until your child can fit properly in the adult seat belt (see the Safety Belt Fit Test).
- Also, please keep in mind that state law does not always represent best practice. We recommend that you follow the laws of your state as the <u>minimum</u> requirements for restraining your child while traveling.

Find out what the laws are in your state



# When is a child ready for a booster seat?

- Your child reached the top weight or height allowed for their convertible car seat with a harness. (These limits are listed on the seat and also included in the user guide.)
- Your child's shoulders are above the top harness slots in their forward-facing seat.
- Your child's ears have reached the top of their forward-facing seat.
- If your kid is a wiggle worm or sleeps often in the vehicle, then the booster may not be an appropriate selection just yet.

### Factors to consider when determining if your child is ready for a booster seat:





Your child's shoulders

are above the top

harness slots in their

forward-facing seat.



Your child reaches the top weight or height allowed for their forward-facing seat with a harness. (These limits are listed on the seat and also included in the seat's user guide.)

Your child's ears have reached the top of their forward-facing seat.



Your child meets the age and size requirements of the booster seat.



Your child meets the

requirements of

your state laws

regarding booster

seat use.

Your child's maturity level - if your child is a wiggle worm or sleeps frequently in the vehicle, he may not be ready for a booster seat.



### When To Switch To Vehicle Seat Belt





- Keep your child in a booster seat until he or she is big enough to fit in a seat belt properly. For a seat belt to fit properly the lap belt must lie snugly across the upper thighs, not the stomach. The shoulder belt should lie snugly across the shoulder and chest and not cross the neck or face. Remember: your child should still ride in the back seat because it's safer there.
- Britax recommends that you continue to use a car seat to the upper limits of its recommended use, or until your child can fit properly in the adult seat belt.
- > To be able to fit an adult seat belt, a child must:

•Be tall enough to sit without slouching

•Keep his/her back and buttocks against the vehicle seat back

•Keep his/her knees completely bent over the front edge of the vehicle seat

•Keep his/her feet flat on the floor

•Be able to stay comfortably seated this way, AND

•The vehicle seat belt must be positioned correctly across the child's hips and shoulder/middle of the chest.

Check your state/province laws for additional guidance on car seat and booster use. We recommend that you follow the laws of your state/province as the minimum requirements for restraining your child while traveling.



Where is the serial number and manufacture date on Harness-2-Booster seats?

Grow With You Grow With You ClickTight Frontier ClickTight & Pioneer




Grow With You ClickTight Plus Pinnacle ClickTight





© 2021 Britax Child Safety, Inc. All rights reserved

### **Tether attached during an impact?**




Red, ripped stitching on one or both sides is an indicator the seat should no longer be used and replaced.



Can a Britax car seat be installed in the center seating position borrowing the inner anchors (LATCH) of the outboard seating positions?

No. To use lower anchors / LATCH, it must be a designated LATCH position by the vehicle with standard spacing.

#### Using the Lower Anchors and Tethers for Children (LATCH)




The Lower Anchors and Tethers for Children or LATCH, is a system available on this child restraint that offers an alternative to vehicle seat belt installation methods. The figure above shows typical locations for lower anchors and tether anchors in a vehicle. See pages 2-3 for LATCH components on this child restraint.

Check your vehicle owner's manual to learn if it is equipped with LATCH, the maximum weight rating for the lower anchors, tether anchors capacities, and information on the lower anchor locations and designated seating positions available for use with this child restraint.

Tether anchor locations vary from vehicle to vehicle. Check your vehicle owner's manual and look for the tether anchor symbol shown in the diagram to help identify where the top tether anchor point is located in your vehicle.



### **Positioning BRITAX in BPB mode with Lower Anchors**





The Britax belt-positioning booster seats can be positioned on the vehicle seat using the lower anchor system. Use the vehicle's lapshoulder belt to secure the child.

Ensure that the lower anchors do not interfere with the vehicle belt function and alignment when securing the child.

Example shown: Offset lower anchors cannot be used to secure a Britax belt-positioning booster because the lap-shoulder will not properly position on the child.




# How much overhang is acceptable with any Britax car seat?

#### Harness Mode

- It is important that the base of the child restraint rests completely flat on the vehicle seat with no side overhang.
- It is permissible to allow up to 3 in. (7.6 cm) of the base to hang over the front edge of the vehicle seat.
- Side overhang is not permitted.

#### Booster Mode

- Overhang is not allowed in booster mode. In booster mode, the base of the child restraint must fit completely on the vehicle seat.
- Side overhang is not permitted.





### When do Britax car seats expire?

#### Britax Child Safety, Inc.

#### Safety Information

#### A WARNING!

Failure to follow all warnings and instructions could result in SERIOUS INJURY or DEATH.

#### FIT REQUIREMENTS

- Harness Mode: Use only with children who weigh between 25 and 65 lbs (11.3 and 30 kg) and whose height is between 34 and 49 in. (85 and 125 cm) and are at least 2 years of age.
- Booster Mode: Use only with children who weigh between 40 and 120 lbs (18 and 54 kg) and whose height is between 44 and 63 in. (110 and 160 cm).
- Snugly adjust the belts provided with this child restraint around your child.

#### INSTALLATION

- Secure the top anchorage strap provided with this child seat.
- Use only the vehicle's lap and shoulder belt system when restraining the child in this booster seat.
- Secure this child restraint with the vehicle's child restraint anchorage system if available or with a vehicle belt.
   GENERAL USAGE
- Follow all instructions on this child restraint and in the written instructions.
- Register your child restraint with the manufacturer.
- Britax recommends that the top tether be used at all times when installing the child seat. Using the top tether will improve the stability of your child seat and reduce the risk of injury.
- Britax strongly recommends that children should remain in a child seat with a 5-point harness until reaching the maximum weight or height allowed.
- Use this child seat forward-facing only.
- This child seat must be used in upright position in booster mode.
- In a vehicle with rear designated seating positions, vehicle owners should be alerted that, according to accident statistics, children are safer when properly restrained in the rear seating positions than in the front seating positions. To ensure your child's safety, please study Vehicle Seating Positions on page 36 and consult
- To prevent injury due to deterioration or hidden damage, discontinue use of this child seat when it is older than nine (9) years or has been in a moderate or severe crash. See expiration date on Serial Number and Manufactured Date Label located on the child seat shell. See page 3.

Always make sure the child restraint system is secured to the vehicle, even when unoccupied, since in a crash an unsecured child restraint system may injure occupants. The unoccupied child seat can be secured to the vehicle by attaching the lower connectors to the lower anchors in the vehicle, or by fastening the vehicle seatbelt across the unoccupied child seat. GROW WITH YOU CLICKTIGHT / PLUS User Guide

- The use of non-Britax covers, inserts, toys, accessories, or tightening devices is not approved by Britax. Their use could cause this child seat to fail Federal Motor Vehicle Safety Standards or not perform as intended in a crash.
- The primary protection for occupants of a vehicle in a collision is the body of the vehicle itself; a child seat will not protect a child when a vehicle is seriously impacted. However, correctly installed, a child seat will substantially improve chances for survival in most crashes. Make sure all users fully understand the correct ways to use this child seat in a vehicle.
- Grow With You ClickTight Plus Prevent the Side Impact Cushions from being punctured. Puncture damage will cause the cushions not to perform as intended in a crash.

#### Important Notes

- Before each use, check this child seat and its components to make sure they are in good condition and good working order.
- Do not install with the lower anchors for a child weighing more than 40 lbs (18.1 kg).
- Discontinue use of this child seat if it has been in a moderate or severe crash. It is not necessary to replace a car seat after a minor crash defined by the US National Highway Traffic Safety Administration (NHTSA) as:
- a. The vehicle is driveable from the crash site; and
   b. The vehicle door nearest the child seat was not damaged; and
- c. No vehicle occupants were injured; and
- d. There is no visible damage to the child seat; and
   e. The airbags (if present) did not deploy.
- Verify that the child restraint and child restraint belts or straps do not interfere with the opening and closing of the vehicle door.
- Consult vehicle user guide to ensure child restraint installation does not interfere with function of vehicle seats.
- Snugly adjust the belts provided with the child restraint around your child. A snug strap should not allow any slack. You should not be able to pinch excess.
- Ensure the lower harness (waist) straps are firmly adjusted in a position so that the child's pelvic area is secure.
- Ensure the upper harness (shoulder) straps are firmly adjusted so that the child is secure.
- · Never leave child unattended.
- Ensure to remove bulky coats, jackets, and/or bulky sports equipment before putting the child in the child restraint.
- Cover the child seat when the vehicle is parked in direct sunlight. Metal parts of child seat could become hot enough to burn a child.
- Store the child seat in a safe place when it is not being used. Avoid placing heavy objects on top of it.
- Do not, except as described in this booklet, attempt to disassemble any part of the child seat or change the way the harness or vehicle's seat belts are used.

The statement for number of years will be found in the Warnings / Note section of user guide.

For newer models, it can also be found on the serial number label.

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXX	MA	NU
MODEL:	XXXXXXXXXXXX		FAB
BATCH/LOTE:	XXXXXXXXXX	ſ	
SERIAL/SERIE	XXXXXXXXXXXXXXXX	_	09
EXPIRES/EXPIR	S: 09/31/2024	M	O/ME

MANUFACTURED FABRICADOS: 09 2018 MO/MES YR/AÑO

#### MANUFACTURED BY/FABRICADOS POR:

BRITAX CHILD SAFETY, INC. 4140 PLEASANT RD. FORT MILL, SC 29708 USA



### Vehicle Headrest

# **A WARNING!**

In some cases, the vehicle headrest can prevent the child restraint headrest from being raised high enough to properly adjust the harness for the fit of your child when using a forward-facing reclined position. DO NOT force the child restraint headrest past the vehicle



headrest. Doing so could cause the child restraint not to perform as intended. If the location of the vehicle headrest interferes with the child restraint headrest, raise or remove the vehicle headrest. If the vehicle headrest can not be removed, move the child restraint to the upright position or try a different seating location.



#### Can Britax car seats and booster seats be installed with Inflatable Seat Belts?

#### Please see our Inflatable Seat Belt Policy – https://us.britax.com/service-support/inflatable-seat-belt-policy/

Not all models of BRITAX car seats are approved for use with inflatable seat belts. At this time, ONLY the Ford Motor Company (Ford and Lincoln vehicles) Inflatable seat belt system is approved for use with the following BRITAX models: **B-SAFE, Britax G Series Convertibles (Roundabout, Marathon, Boulevard, Advocate), Pioneer 70, Pioneer, Frontier, Frontier 85, Frontier 90, Frontier CLICKTIGHT, Pinnacle 90, Pinnacle CLICKTIGHT, Parkway SG and Parkway SGL.** 


If your car seat model is not listed above, it is NOT approved for use with the Ford inflatable seat belt system or any other inflatable seat belt system.

For more information on Inflatable seat belts, please click here.

#### In User Guides | COMPATIBLE SEAT BELTS

NOTE: This BRITAX car seat may not be compatible with every inflatable lap-shoulder belt.
See FAQS in the support section of the BRITAX website ( <u>https://www.britax.ca/faqs</u> OR <u>https://us.britax.com/faqs/installation-questions/</u> ) for additional instructions.

Compatible	Not Compatible
B-SAFE (30 lb. capacity)	35 lb RFO with base 35 lb RFO without base
G Series Convertibles	Allegiance & Emblem CLICKTIGHT Convertibles
Pioneer Frontier CLICKTIGHT Pinnacle CLICKTIGHT	DualFit Grow With You Grow With You CLICKTIGHT Grow With You CLICKTIGHT PLUS One4Life



britax

Parkway SG & SGL


Highpoint, Midpoint & Skyline

# How do I clean my soft goods (covers)?

- ONLY SafeWash covers by Britax are machine washable and machine dryable.
- USER GUIDE Cleaning Instructions:
  - Refer to product care label for wash
    instructions.
  - If care label indicates machine washable, always refer to *us.britax.com/faqs* for important care information.



Naturally flame-retardant knit is safe to machine wash and dry. us.Britax.com/pages/safewash





### Are the Impact Absorbing Chest pads required?



# **BRITAX CONVERTIBLES** In User Guide Section: Securing Your Child IMPORTANT: Impact absorbing chest pads are highly recommended for forward-facing mode. Removal of chest pads is optional for rear-facing mode to ensure a snug fit for small infants. Select models of CLICKTIGHT convertibles do not come with chest pads (typically black shells). **BRITAX HARNESS-2-BOOSTER** The user guide does not indicate they are optional or recommended. Therefore, they are considered required

# The tether of the harness-2-booster won't stay on vehicle seat back. What can I do?

#### The excess webbing of tether once snug can be used to turn the "V" shaped tether in to a "Y"

- Pull slack out of tether
- Approx. ½-2/3 way up from tether anchor pull each leg of the "V" together to shape the "Y"
- Use the excess tether webbing to wrap around like a man's tie to keep the "Y" shape in place.
- This will change the angle from attachment point to shell over seat back – often enough to stay in position.



The tether of the harness-2-booster won't stay on vehicle seat back. What can I do?

# **Tether Extender**

• A tether extender may be needed Forward-Facing when vehicle anchor point is in roofline or cargo area OR pick-up trucks with in-direct routing.


• When installed in a captain's chair, the shape of the vehicle seat back may cause the tether to slide off vehicle seat.

• NOTE: The tether extender is not adjustable in length. Depending on tether anchor location on vehicle seat back, this method may not work.

 CAREGIVER can acquire at no charge by calling Britax Customer Service with Serial Number and Manufacture date.

### SecureGuard Clip with Harness-2-Boosters

- SecureGuard is an easy-to-use BRITAX exclusive feature that works with the vehicle safety belt to prevent the child from sliding under the lap belt portion of the safety belt (submarining) during impact.
- This is available as an accessory for Britax Harness-2-Boosters when in booster mode.



© 2021 Britax Child Safety, Inc. Al

## Serial numbers.....It is like finding Waldo!









#### **NON-CLICKTIGHT Convertibles**



Look for the white label on the child's left-hand side of the seat near the head/ear area. This label dis-plays the seat's model number, serial number, manufacture date, and batch number.



#### 2-Stage Belt-Positioning Boosters

SKYLINE

**Belt-Positioning Boosters** 





Grow With You & Grow With You CT





Pinnacle & Grow With You CT Plus








Replacement after a Motor Vehicle Crash Discontinue use of this child seat if it has been in a moderate or severe crash. It is not necessary to replace a car seat after a minor crash, defined by the US National Highway Traffic Safety Administration (NHTSA) as:

- a. The vehicle is drivable from the crash site; and
- b. The vehicle door nearest the child seat was not damaged; and
- c. No vehicle occupants were injured; and
- d. There is no visible damage to the child seat; and
- e. The airbags (if present) did not deploy

This information can be found in each Britax product user guide in the WARNINGS or IMPORTANT NOTES section.



### **Coats | Heavy Clothing**





The following is in each BRITAX user guide in "Securing the Child".

IMPORTANT: Remove bulky coats and/ or jackets before putting the child in the car seat.

- Some suggestions would be:
  - Preheat car.
  - Put jacket on backwards after child is secured in harness.
  - The B-WARM can be used with any Britax rearfacing only seat.



# Accessory / Non-Regulated BY BRITAX FOR BRITAX



### **Use on Aircraft**

#### Certification

This child seat system conforms to all applicable Federal Motor Vehicle Safety Standards (FMVSS 213). This restraint is certified for use in motor vehicles and aircraft when used in harness mode. This restraint is not certified for use in aircraft when used in booster mode because belt-positioning boosters require lap-shoulder belts not available in aircraft.

For aircraft installation, follow the instructions on pages 14 -15 while routing the lap belt over the CLICKTIGHT in the closed position. The tether cannot be used.

- Install your child seat in a window seat to avoid blocking the aisle.
- If the aircraft lap belt is too short, ask a flight attendant for a belt extender.
- Your child may experience discomfort if the buckle is located in the seating area of the child seat after installation.
- Inflatable aircraft lap belts are not compatible with this child seat.
- This seat may not fit all aircraft. Contact your airline prior to travel to verify fit.

This child restraint system conforms to all applicable Federal motor vehicle safety standards. This Restraint is Certified for Use in Motor Vehicles and Aircraft when Used in Harness Mode. This Restraint is Not Certified for Use in Aircraft when used in Booster Mode. Child restraints could be recalled for safety reasons. You must register this restraint to be reached in a recall. Send your name, address, e-mail address, if available, and the restraint's model number and manufacturing date to Britax Child Safety, Inc. P.O. Box 91167 Allentown, PA 1-8109-9925, or call 1-888-427-4829 or 1-704-409-1699 or register online at *us.britax.com*. For recall information, call the U.S. Government's Vehicle Safety Hotline at: 1-888-327-4236 (ITTY: 1-800-424-9153), or go to *http://www.NHTSA.gov.* 

BELT ROUTE: HARNESS MODE

Lower Anchors Do not install by this method for a child weighing more than 40 lb (18.1 kg).

Lap-Shoulder

Belt

\_ap Belt

- Make sure your car seats is approved for use on aircraft. Look for statement on label:
  - This restraint is certified for use in motor vehicles and aircraft.
  - Belt-positioning booster seats a NOT approved for use on aircraft.
- Best practice is EVERY family member has a seat and is properly secured (seat belt or car seat. While the FAA allows children under the age of 2 to be held on lap, remember – turbulences are unexpected at any time.
- Call airlines and ask if there are discounts for seats for children flying during non-popular times or flights.
- By bringing YOUR car seat with you you do not have to worry about renting a car seat from a car rental agency.



P11449600\_A.03.19

#### **IMPORTANTE** En caso de una retirada, sólo podemos comunicarnos con usted si tenemos su nombre y dirección. retirado del mercado Usted DÉBE enviar la tarjeta adjunta o regístrese en línea para estar en nuestra lista para productos con avisos de retiro del mercado a causa de defectos. retiro del mercado a causa de defectos. Nosotros va hemos pagado el envío. Hágalo hoy. **IMPORTANT** manufacturer's website provided. In case of a recall, we can reach you only if we have your name and address. You MUST send in the attached card or register online to be on our recall list. on our recall list. We've already paid the postage. Please fill this card out and mail it NOW, or register online at Do it today. NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATE **BUSINESS REPLY MAIL** POSTAGE WILL BE PAID BY ADDRESSEE BRITAX CHILD SAFETY INC PO BOX 91167 ALLENTOWN PA 18109-9925 կովը ինեն դիկիկունը իներիկինը հենկի

#### PARA LA SEGURIDAD DE SU NIÑO

Por favor, tómese unos momentos para llenar y devolver la tarieta adjunta o registrese en línea a través del enlace directo a la página web del fabricante.

Aunque los asientos de seguridad para niños se someten a pruebas y evaluación, es posible que un asiento de seguridad para niños podría ser

En caso de una retirada, sólo podemos comunicarnos con usted si enemos su nombre y dirección, así que por favor envíe la tarjeta o regístrese en línea para estar en nuestra lista de productos con avisos de

Por favor, llene su tarieta y envíela AHORA, o registrese en línea en www.BritaxUSA.com/registration mientras que usted está pensando en ello.

La tarjeta ya esta dirigida a Britax y hemos pagado los gastos de envío.

#### FOR YOUR CHILD'S CONTINUED SAFETY

Please take a few moments to promptly fill out and return the attached card or register online using the direct link to the Although child restraint systems undergo testing and evaluation, it is possible that a child restraint could be recalled. In case of recall, we can reach you only if we have your name

and address, so please send in the card or register online to be

www.BritaxUSA.com/registration, while you are thinking about it.

The card is already addressed and we've paid the postage

Consumer: Consumidor:	Just fill in your name and Sólo tienes que escribir tu nombre		e-mail address (optional) ción de correo electrónico (opcional)
Name/Nombre			
Address/Direccid	ón		
City/Ciudad	s	tate/Estado	Zip/ Código Postal
Country/Pais			
E-mail/Correo ele (optional/opcion			
	HILD RESTRAINT F E REGISTRO PARA ASIE		TION CARD EGURIDAD PARA NIÑOS

### Always check to see if a CRS is affected by a Safety Notice & Register all Car Seats

- Visit the manufacturers website
  - Safety Notices
    - http://wwwodi.nhtsa.dot.gov/owners/SearchSafetyIssues?prodType=C
    - https://us.britax.com/service-support/safety-notices/
  - Register CRS
    - Reassure caregivers manufacturers cannot use their contact information for any reason other than to contact them in the event of a Safety Notice.
      - Mailing registration card
      - On-line
      - Call car seat manufacturer Customer Service
        - Number in user guide, label on car seat
    - https://us.britax.com/support/register-product



### **Additional Resources: Installation Videos**

- ✓ <u>CLICK HERE</u> to view introduction to the Britax Grow With you ClickTight Harness-2-Booster
- ✓ <u>CLICK HERE</u> to install the Grow With You ClickTight with Lap-Shoulder belt and Tether
- ✓ <u>CLICK HERE</u> to install the Grow With You ClickTight with LATCH

The followings videos are for the discontinued platforms. Many of the processes are the same for the Grow With You ClickTight platforms.


- ✓ <u>CLICK HERE</u> for Frontier and Pinnacle w/ CLICKTIGHT videos
- ✓ <u>CLICK HERE</u> Frontier 90, Pinnacle 90, Pioneer 70 Adjusting the Harness and Head Restraint
- ✓ <u>CLICK HERE</u> Frontier 90 and Pinnacle 90 Adjusting the Buckle Position
- ✓ <u>CLICK HERE</u> Frontier 90, Pinnacle 90, Pioneer 70 Using the Recline
- ✓ <u>CLICK HERE</u> Frontier 90, Pinnacle 90, Pioneer 70 Securing Your Child in Harness Mode
- ✓ <u>CLICK HERE</u> Frontier 90 and Pinnacle 90 Positioning the Seat in Your Vehicle in Booster
- ✓ <u>CLICK HERE</u> Frontier 90, Pinnacle 90, Pioneer 70 Securing Your Child in Booster Mode
- ✓ <u>CLICK HERE</u> Frontier 90 and Pinnacle 90 Harness to Booster Mode Stowing the Harness and Buckle

The followings videos are for the discontinued platforms. Many of the processes are the same for the Grow With You platform.

- ✓ <u>CLICK HERE</u>Pioneer videos
- ✓ <u>CLICK HERE</u> Pioneer 70 Lap-Shoulder Belt Installation in Harness Mode
- ✓ <u>CLICK HERE</u> Pioneer 70 Lap Belt Installation in Harness Mode
- ✓ <u>CLICK HERE</u> Pioneer 70 Position in Vehicle in Booster Mode
- ✓ <u>CLICK HERE</u> Pioneer 70 Harness to Booster Mode Storing Harness & Buckle



# **Additional Resources**



CEUs

Additional CEU material accessible through your profile at cert.safekids.org

**Online CEUs**  $\rightarrow$  3. Britax Tech Site  $\rightarrow$  Obtain CEUs





### Sarah Tilton, CPST-I

Director, Consumer Advocacy

Technician Discounts Product Assistance as Technician/Instructor:



Email: <u>Sarah.Tilton@Britax.com</u>



Phone: (704) 409-1695

https://www.facebook.com/britaxcpsti.sarahtilton



# Thank you for learning more about BRITAX!

Please CLICK HERE to take the quiz for the Getting to Know the Britax Harness-2-Booster Seats CEU Opportunity.

Once you complete the quiz, you will receive your results via email.

If you do not receive an email regarding your score in a timely fashion: (a) check your spam/junk folder and (b) consult your IT department that the system will allow emails from <u>ceuquiz@britax.com</u>.
 If you successfully completed the quiz\_please save the email or print a copy and save with your recertification.

If you successfully completed the quiz, please save the email or print a copy and save with your recertification documentation.

✓ The emails come from <u>wordpress@ceu.britaxusa.com</u>. If you do not receive within 24-48 hours, please check your spam and junk folders. Some systems have been known not to deliver them to your inbox.

✓ Certificates/emails of completion cannot be re-created.

If you did not successfully complete the quiz, please review the material again and retake the quiz when you are ready.

